

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46 E-mail: info@kerone.com, www.kerone.com

Customer :	Prem Henna Private Limited, Nashik
Process :	Batch Dehydration Heat Treatment for Drying of HENNA

TEST REPORT No: 47/KRDC/LAB/18 Mum 27/04/2018

Date Sample reception : 27/04/2018
ID : 47/LAB/33

SAMPLE DESCRIPTION:

Sampling : As Requested
Sample Condition : Acceptable
Quantity : 30 kg
Sampling date : 08/05/2018
Product : Herbal Henna (Mehandi)
Requirement : Final product must be less than 1-2% moisture content
Start Date test : 08/05/2018
End Date test : 08/05/2018

LABORATORY EXPERIMENTAL SET UP:



Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46 E-mail: info@kerone.com, www.kerone.com

LAB BATCH DEHYDRATION HEATING SYSTEM SPECIFICATIONS:

Heating Zone (width*height*depth)	510*480*410 mm
No. of Heaters	6
Total Heater Power	6 kW
Motor	0.5 HP
Centrifugal Exhaust Blower	1440 rpm
No. of trays	6
Tray size (width*height*depth)	560*25*435 mm

Environment-laboratory Ambient Conditions:

Temperature (degree C)	28.9°C(±5°C)
Humidity (%)	≤ 56% RH
Pressure (kN/m2 or kPa)	Not recorded



Note for recommendation: Environmental conditions have a direct impact on test results. Accuracy and consistency of test data are affected by the laboratory conditions

EQUIPMENTS USED:

Name of Equipment	Picture of Equipment	Specifications
Compact Thermal Imaging Camera		Model: FLIR E-30 Resolution: 160 x 120 IR Thermal sensitivity of 0.10°C

Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

<p>Moisture Analyzer</p>		<p>Make: Axis Balance Description: Moisture range: 1%(sample 0.02/0.05g), 0.1% (Sample 0.5/5g), 0.01%(Sample>5g)</p>
<p>Thermo Hygrometer</p>		<p>Model No: HTC-2 Temperature accuracy: ±°C (1.8°F) Temperature resolution: 0.1°C (0.2°F) Humidity range: 10%~99% RH Humidity accuracy: ±5% RH Humidity resolution: 1% RH</p>

SAMPLE PREPARATION AND METHOD/PROCEDURE:

The experiment has been performed on herbal henna mehendi without adding any additive to speed up the drying rate. For this experimental run, some amount of sample was taken and placed it on a tray with uniform layer of thickness about 5 mm. Observations are made after every 10 minutes. Initial weight before drying, final weight after drying, initial moisture content and final moisture content has been taken.

ANALYTICAL RESULTS:

Setting Temperature: 100°C

Initial sample weight: 250 grams

Initial Moisture Content: 3.9%

Sr. No.	Time (minutes)	Temperature on Product (°C)	Weight noted (grams)	Weight loss (grams)	Remarks, if any
1.	After 10	88.2	248	2	Drying rate started
2.	After 20	96.3	245	5	Drying phase continue
3.	After 30	101	243	7	Variant of Drying rate

Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46 E-mail: info@kerone.com, www.kerone.com

4.	After 40	101.7	242	8	Variant of Drying rate
5.	After 50	102	241	9	Variant of Drying rate
6.	After 60	102.9	241	9	Constant Drying rate

Sample weight after drying: 241 grams


Total weight loss on drying: 9 grams

Final Moisture Content: 1.9 %

MOISTURE ANALYSIS REPORTS:



GRAPHICAL REPRESENTATION OF DRYING PARAMETERS:




Format: F/R&D/01


The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

THERMAL IMAGE BEFORE AND AFTER HEAT TREATMENT:

1. Before Heat Treatment



2. After Heat Treatment:



BEFORE AND AFTER PICTURES OF SPECIMEN SAMPLE:



Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46 E-mail: info@kerone.com, www.kerone.com

OBSERVATIONS:

The Drying behavior of herbal henna (mehandi) powder has been investigated under the forced convention mode dryer. The drying rate is found to be decreasing with respect to increasing drying time. It has been found that the moisture content on the dry basis (%) decreases with respect to increase drying time. As per physical investigation, it has been observed that there is no colour change and no textural change in the processed sample.



Miss. Komal Bhoite
Tested By

Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.