

BLOOD BANK REFRIGERATORS

Environment Friendly Engineering Solution Company



In Association with SVCH-Technologii, Moscow (Russia)

www.kerone.com

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


“Enhance the value of customer operation through our customer need centric engineering solution”

Mission

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

Vision

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.



Introduction to Blood Bank Refrigerators

KERONE holds its expertise and experience of 40year+ in designing and engineering products with high precision and quality commitment for the critical business needs. The Blood bank refrigerators manufactured at KERONE is fully customized depending upon the need of blood banks and hospitals based on their requirement are based and most suitable to store the Blood and its derivatives and various other products such as vaccines, primers, culture media etc. Since blood and its derivatives are vital in life saving hence its important to store it such a way that it must not lose its effectiveness, hence blood bank refrigerators maintain blood and plasma at temperatures ranging between 1 and 6 °C, so that they are regularly geared up for emergency scenarios. Blood bank refrigerators use rigorous safety procedures to avoid any kind of tampering. Some blood bank refrigerators are also designed with strong temperature controls and event alarms based on the need.



[kerone/blood-bank-refrigerators](https://www.kerone.com/blood-bank-refrigerators)

www.kerone.com/blood-bank-refrigerators.php

Features

Cooling:

ISI marked high and CFC free compressor from Kirloskar and Tecumseh are used which meets the latest international standards and guidelines. The energy efficient cooling unit is installed in the mortuary chamber.

Temperature Range:

Blood Bank Refrigerators comes in various models with temperature ranging from 20°C to 40°C. The models can be modified to meet the specific needs of the customers.

Temperature Control:

Programmable, micro processor based temperature controller cum indicator controls the temperature inside the refrigerator.

Temperature sensitivity:

The temperature inside the seed germinator is controlled with a sensitivity of $\pm 10^{\circ}\text{c}$ or better.

Audio-Visual Temperature Alarm:

Safety from temperature fluctuations is provided by an audio visual temperature alarm.

Illumination:

The Blood Bank Refrigerators are provided with door based illuminating system consisting of fluorescent lights.

3D View

Trusted Partner



Our Clients



KERONE

Kerone Engineering Solutions Limited

UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

EMAIL

info@kerone.com | sales@kerone.com
marketing@kerone.com

UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

WEBSITE

www.kerone.com | www.kerone.net
www.keroneindia.com

UNIT III

Plat NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

Phone

+91-22-28150612/13/14
+91-251-2620542/43/44/45/46